L Number	Hits	Search Text	DB	Time stamp
1	1069	713/201.ccls. and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 08:46
2	485	713/202.ccls. and @ad<20000315	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/08 08:48
3	106	713/166.ccls. and @ad<20000315	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/08 08:48
4	1	(713/201.ccls. and @ad<20000315) and (713/202.ccls. and @ad<20000315) and mobile adj device	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 08:48
<u>-</u>	1632	network and request with (identification min) and mobile with device	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 13:56
-	263	(network and request with (identification min) and mobile with device) and internal same external	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 13:57
-	222	((network and request with (identification min) and mobile with device) and internal same external) and display	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 13:58
-	31	(((network and request with (identification min) and mobile with device) and internal same external) and display) and confidential\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 14:10
-	o	@ad<20000315 and mobile with device with identification with confidential\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 14:03
-	6	@ad<20000315 and mobile with device with identification with (secret confidential\$6)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 14:04
-	5	lukkaroinen.inv inget.inv. and nokia	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 14:10
-	2	@ad<20000315 and mobile with device same identification with confidential\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 14:05
-	2596	@ad<20000315 and mobile adj device	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 14:11
-	0	@ad<20000315 and mobile adj device and request with (identification min) with determine same display	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 14:13

-	0	(security confidentiality) and (@ad<20000315 and mobile adj device and request with (identification min) with	USPAT; US-PGPUB; EPO; JPO;	2003/12/05 14:13
_	0	determine same display)	DERWENT; IBM_TDB USPAT;	2003/12/05
	-	(@ad<20000315 and mobile adj device and request with (identification min) with (external network) same display)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	14:17
-	2	@ad<20000315 and mobile adj device and request with (identification min) with (external network) same display	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 15:45
-	18852861	@ad<20000315	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 15:45
-	3	mobile adj device same display same (show indicate display) with security and @ad<20000315	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 15:48
-	10	mobile adj device same display and (show indicate display) with security and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 15:49
-	62	mobile adj device same display and (show indicate display) with (security access) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 15:59
-	13	@ad<20000315 and 713/201.ccls. and mobile adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:04
_	711	@ad<20000315 and browser and privacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:05
-	701	<pre>@ad<20000315 and browser and (privacy security) same display</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:12
-	141	<pre>@ad<20000315 and browser and information same access same (privacy security) same display</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:17
-	2	@ad<20000315 and wap and information with (security privacy) and external same internal same request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:20
-	2	<pre>@ad<20000315 and wap and information with (security privacy) and ((external outside) same (internal inside)) same request</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:22
_	5	@ad<20000315 and security adj zone same browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:23
-	1	"5796942".PN.	USPAT	2003/12/05 16:25

-	18852861	@ad<20000315	USPAT;	2003/12/06
			US-PGPUB;	12:33
			EPO; JPO;	
			DERWENT; IBM TDB	
1_	1	mobile adj device and protect with	USPAT;	2003/12/06
	*	identification same min	US-PGPUB;	12:35
1		Tuentification banks min	EPO; JPO;	12.00
			DERWENT;	
			IBM TDB	
-	9	mobile adj device and protect with	USPĀT;	2003/12/06
1		identification	US-PGPUB;	12:37
			EPO; JPO;	
			DERWENT;	
	426		IBM_TDB	2002/12/06
-	436	mobile adj device and privacy	USPAT;	2003/12/06 12:37
			US-PGPUB; EPO; JPO;	12:37
			DERWENT;	
			IBM TDB	
-	51	(mobile adj device and privacy) and	USPAT;	2003/12/06
		@ad<20000315	US-PGPUB;	12:47
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	0	wap and privacy same identification and	USPAT;	2003/12/06
		@ad<20000315	US-PGPUB;	12:55
			EPO; JPO;	
			DERWENT;	
	10	 wap and privacy and identification and	IBM_TDB USPAT;	2003/12/06
-	10	Wap and privacy and identification and	US-PGPUB;	12:58
	}	eau\20000313	EPO; JPO;	12.30
			DERWENT;	
			IBM TDB	
_	43	mobile adj device and spoofing	USPAT;	2003/12/06
			US-PGPUB;	13:03
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
_	7	(mobile adj device and spoofing) and	USPAT;	2003/12/06
		@ad<20000315	US-PGPUB;	12:58
			EPO; JPO; DERWENT;	
			IBM TDB	
_	76	mobile adj device and (clone cloning)	USPAT;	2003/12/06
1			US-PGPUB;	13:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	44	(mobile adj device and (clone cloning))	USPAT;	2003/12/06
		and @ad<20000315	US-PGPUB;	13:34
1			EPO; JPO;	
			DERWENT; IBM TDB	
1_	14	mobile adj device and server with request	USPAT;	2003/12/07
	""	with identification and @ad<20000315	US-PGPUB;	12:35
		Indicate and the care to to to to	EPO; JPO;	
}			DERWENT;	
			IBM_TDB	
-	18854787	@ad<20000315	USPĀT;	2003/12/07
1	1		US-PGPUB;	12:36
			EPO; JPO;	
	1		DERWENT;	
	1	0-4-20000315	IBM_TDB	2002/12/07
-	0	@ad<20000315 and wap same privacy	USPAT;	2003/12/07 13:04
			US-PGPUB; EPO; JPO;	12:04
	1		DERWENT;	
			IBM TDB	
L	L	<u> </u>	1 2011 100	l

		_		•
-	54	wap same privacy	USPAT;	2003/12/07
			US-PGPUB;	12:37
			EPO; JPO; DERWENT;	
			IBM TDB	
-	352	wap same security	USPĀT;	2003/12/07
			US-PGPUB;	12:37
			EPO; JPO; DERWENT;	
			IBM TDB	
-	15	(wap same security) and @ad<20000315	USPAT;	2003/12/07
		-	US-PGPUB;	12:39
	1		EPO; JPO;	
	1		DERWENT; IBM TDB	
_	10	mobile adj device same password and	USPAT;	2003/12/07
	-	@ad<20000315	US-PGPUB;	12:42
			EPO; JPO;	
			DERWENT; IBM TDB	
1_	31	mobile adj device same (pin password) and	USPAT;	2003/12/07
	31	@ad<20000315	US-PGPUB;	13:00
			EPO; JPO;	
			DERWENT;	
1_	1		IBM_TDB USPAT	2003/12/07
1	1		USIAI	13:02
-	1		USPAT	2003/12/07
				13:02
-	1		USPAT	2003/12/07 13:02
1_	10	mobile adj device same ((enter with pin)	USPAT;	2003/12/07
	10	password) and @ad<20000315	US-PGPUB;	13:16
			EPO; JPO;	Ì
1	1		DERWENT;	
	0	(mobile adj device same ((enter with pin)	IBM_TDB USPAT;	2003/12/07
1-		password) and @ad<20000315) not (mobile	US-PGPUB;	13:03
		adj device same password and	EPO; JPO;	
		@ad<20000315)	DERWENT;	
		@ad<20000315 and wap same password	IBM_TDB USPAT;	2003/12/07
_	2	ead<20000315 and wap same password	US-PGPUB;	13:08
			EPO; JPO;	:
1			DERWENT;	
	-	0nd<20000215 and came -in	IBM_TDB USPAT;	2003/12/07
-	5	@ad<20000315 and wap same pin	USPAT; US-PGPUB;	13:12
			EPO; JPO;	
			DERWENT;	
	_	8-4-2000021E and making add dated as a series	IBM_TDB	2003/12/07
_	0	@ad<20000315 and mobile adj device same enter same pin	USPAT; US-PGPUB;	13:13
		Circui same pri	EPO; JPO;	
			DERWENT;	
		712 (202 == 1 = - 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 =	IBM_TDB	2002/12/07
-	10	713/202.ccls. and mobile adj device	USPAT; US-PGPUB;	2003/12/07 13:17
			EPO; JPO;	13.17
			DERWENT;	
			IBM_TDB	0000/10/07
-	1	713/202.ccls. and mobile adj device and @ad<20000315	USPAT; US-PGPUB;	2003/12/07 13:20
		eau\2000313	EPO; JPO;	13.20
			DERWENT;	
			IBM_TDB	
-	33	713/202.ccls. and mobile and @ad<20000315	USPAT;	2003/12/07
			US-PGPUB; EPO; JPO;	13:23
1			DERWENT;	
			IBM TDB	<u> </u>

-	1	713/202.ccls. and wap and @ad<20000315	USPAT; US-PGPUB; EPO; JPO;	2003/12/07 13:22
			DERWENT; IBM_TDB	2002/10/07
-	8	713/202.ccls. and wap	USPAT; US-PGPUB; EPO; JPO;	2003/12/07
_	4615	pin same mobile and @ad<20000315	DERWENT; IBM_TDB USPAT;	2003/12/07
	1013	pin same mobile and cad coosts	US-PGPUB; EPO; JPO;	13:27
_	27	T ====	DERWENT; IBM_TDB USPAT;	2003/12/07
		@ad<20000315	US-PGPUB; EPO; JPO; DERWENT;	13:30
-	269	pin same mobile and @ad<20000315 and security	IBM_TDB USPAT; US-PGPUB;	2003/12/07
		-4	EPO; JPO; DERWENT; IBM TDB	
-	30	mobile adj phone and pin same server and @ad<20000315	USPĀT; US-PGPUB;	2003/12/07 13:51
			EPO; JPO; DERWENT; IBM_TDB	
-	63	mobile adj phone and password same server and @ad<20000315	USPAT; US-PGPUB; EPO; JPO;	2003/12/07
_	12	wireless adj applications same (pin	DERWENT; IBM_TDB USPAT;	2003/12/07
		password) and @ad<20000315	US-PGPUB; EPO; JPO; DERWENT;	14:02
-	2	6405037.pn.	IBM_TDB USPAT; US-PGPUB;	2003/12/07 14:02
			EPO; JPO; DERWENT;	11.02
-	41	pin same mobile and @ad<20000315 and privacy	IBM_TDB USPAT; US-PGPUB;	2003/12/07 14:07
		,	EPO; JPO; DERWENT; IBM_TDB	
-	254	mobile adj device and web same password	USPAT; US-PGPUB; EPO; JPO;	2003/12/07 14:10
_	39	(mobile adj device and web same password)	DERWENT; IBM_TDB USPAT;	2003/12/07
		and @ad<20000315	US-PGPUB; EPO; JPO; DERWENT;	14:07
-	504	mobile adj phone and web same password	IBM_TDB USPAT;	2003/12/07
			US-PGPUB; EPO; JPO; DERWENT;	14:39
-	23	(mobile adj phone and web same password) and @ad<20000315	IBM_TDB USPAT; US-PGPUB;	2003/12/07 14:10
			EPO; JPO; DERWENT; IBM TDB	
-	1		USPAT	2003/12/07 14:11

-	1		USPAT	2003/12/07
-	26	5668876.URPN.	USPAT	14:11 2003/12/07 14:30
-	16	(pin same server same mobile and @ad<20000315) and @ad<20000315	USPAT	2003/12/07 14:35
-	16	((pin same server same mobile and @ad<20000315) and @ad<20000315) and (password pin)	USPAT	2003/12/07 14:35
-	484		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/07 14:39
-	59	(mobile adj phone and application same password) and @ad<20000315	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/07 14:41
-	35	wireless adj application and password and security and @ad<20000315	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 14:57
-	432	mobile adj phone and (banking)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 15:01
-	76	(mobile adj phone and (banking)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 14:58
-	26	((mobile adj phone and (banking)) and @ad<20000315) and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 14:59
-	29	((mobile adj phone and (banking)) and @ad<20000315) and pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 14:59
-	1321	mobile adj phone and services and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 15:01
-	188	mobile adj phone and services and password and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 15:02
-	125	mobile adj phone and services and password and @ad<20000315 and security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 15:04
-	77	(mobile adj phone and services and password and @ad<20000315 and security) and internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 15:04